


# ***HDFocus Specification***

Wall Mounted Kiosk HD-32W-T Windows Pro

32” Wall Mounted Kiosk with Touch

HD-32W-T Windows Pro

1. Product Outlook



Overview



Front



Back

2. Main Features

- ✓ Excellent design with apple shape, aluminum edging ;
- ✓ 32” brand new original LG panel with LED backlight;
- ✓ Windows OS, can customize Android OS;
- ✓ Support sensitive 10 points IR touch;
- ✓ Support to use USB to play content directly;
- ✓ Color available: Black, can customize other colors;
- ✓ Support networking central controlled by HD-DS software, total solution;
- ✓ Support Ethernet and WIFI connection(Standalone version do not support);
- ✓ Industrial level design, support 24/7 working.
- ✓ CE and ROHS certified.

3. Display

|                |                                     |
|----------------|-------------------------------------|
| Display Screen | 32” LG TFT Panel with LED backlight |
| Display Ratio  | 16:9                                |
| Color          | 16.77M colors                       |
| Display area   | 699.4*393.9mm                       |
| Resolution     | 1920*1080                           |
| Brightness     | 350cd/m2                            |
| Response Time  | Less than 5ms                       |
| Contrast       | 3000:1                              |
| View Angle     | 178° left and right, up and down    |
| Life time      | Over 60,000hrs                      |

4. PC Performance

|              |                                    |
|--------------|------------------------------------|
| CPU          | Intel dual core i3, 1.7G Hz        |
| RAM          | DDR3 4G                            |
| Storage      | 128G SSD                           |
| Main Board   | Industrial board                   |
| Network Card | 10/100M/1000M adaptive card        |
| WIFI         | Support WIFI                       |
| OS           | Windows 7,8.1 and 10 trial version |

5. Interface

|                   |                                   |
|-------------------|-----------------------------------|
| USB               | USB*4                             |
| COM               | COM*1                             |
| HDMI Output       | HDMI*1                            |
| VGA Output        | VGA*1                             |
| MIC Audio Input   | MIC Audio*1                       |
| Line Audio Output | Line*1                            |
| Network           | RJ45*1, built-in Gigabit Ethernet |
| WIFI              | WIFI*1, support 802.11 b/g/n      |


6. IR Touch

|                   |                         |
|-------------------|-------------------------|
| Touch Type        | Infra-red               |
| Points            | 10 points               |
| Glass cover       | Tempered glass cover    |
| Response Time     | Less than 5ms           |
| Resolution        | 32767 * 32767           |
| Position Accuracy | ±1.5mm                  |
| Communication     | USB2.0                  |
| Life Time         | Over 60,000,000 touches |


7. Others

|                     |                             |
|---------------------|-----------------------------|
| Net Dimension       | 775*471.2*61.2mm            |
| Color               | Silver Black, can customize |
| Gross Weight        | 30KG                        |
| Wall mount Rack     | Standard Rack*1             |
| Voltage             | 100-240V 50/60Hz            |
| Power               | ≤ 100W                      |
| Working Temperature | 0— 40 °C                    |

8. Dimension Drawing



Front and Side




Back

9. HD-DS RDS version Digital Signage Software




Program Interface Edited by HD-DS RDS version Software



HD-DS Key Features:

- ✂ Easy to operate, user can manage the system anywhere as long as he has internet access;
- ✂ Support online edit program and release program;
- ✂ Support visually make program, can preview the program immediately;
- ✂ Support centrally manage the system, but every terminal will download the program and play locally;
- ✂ Networking based, central control of multiple kiosks;
- ✂ Remotely control, such as restart, volume adjust, system upgrade;



Shenzhen HDFocus Technology Co., Ltd

Add: 5th Floor, 51 Building, Bantian No. 3 Industrial Park, Bantian Community, Bantian Street,  
Longgang, Shenzhen, China 518129

T: 008675585204829

Web: [www.hdfocuspro.com](http://www.hdfocuspro.com)